

List of titles in Series 621

Magnets and Electricity

Light

Air

Simple Mechanics

Simple Chemistry

Ladybird titles cover a wide range of subjects and reading ages. Write for a free illustrated list from the publishers:
LADYBIRD BOOKS LTD
Loughborough Leicestershire England


Printed in England

70p
net

ISBN 0-7214-0659-9



9 780721 406596





Making a sensitive balance

You can make a simple balance with two empty cans, a cork, a long plastic knitting needle and two pins. Push the knitting needle through the cork so that it balances. The two pins are stuck into the cork near the ends, and the points form the pivot.

Cut two squares of thin card exactly the same size and hang them, with strands of cotton at the same distances from the pivot, from the two ends of the knitting needle so that they balance. These are the pans. Place two empty tins close together and balance the cork between them on the heads of the pins. If one pan is slightly lower than the other, put a few grains of sand in the other pan to make them level.

You can use this balance to compare the masses of different light objects such as feathers, grains of rice, needles and pins. How many grains of rice are as heavy as a needle?



Making a straw balance

You can make a very sensitive balance that will accurately weigh things as light as a pin, using a straw, a needle, and some card. First make the fulcrum from a piece of card measuring 10cm by 3cm, creased and folded at the two ends so that a needle can rest across the top. Gently push a Meccano screw in one end of a milk straw, cut a slit in the other end and insert a small piece of tinfoil. This is the weighing pan. Now carefully stick a long needle through the straw's centre point and balance it on the card. Adjust the balance by turning the screw.

To measure the mass of a pin, find the weight of a sheet of squared paper on the kitchen scales. You can find the weight of a single square by dividing the number of squares into the weight of the paper sheet. Then cut out some paper squares.

Push a lollipop stick in some 'Plasticine', and stand it close to the straw balance. Using a pair of tweezers, carefully drop the pin on to the tinfoil pan and see where the arm of the balance drops. Mark the spot on the lollipop stick. Remove the pin and add paper squares until the same mark is reached. You now can add the weight of the squares, and the total gives you the pin's mass.



Finding the balancing point

If you slowly push a book across a table, it will balance at the table end before it drops to the floor. There is a certain point in all objects where the whole weight seems to centre. This point is called the Balancing Point or Centre of Gravity.

The centre of gravity of a long, thin object can be discovered by resting it on your hands, and then moving your hands slowly together. No matter how the object is placed, your hands come together at the centre of gravity.

What is gravity?

Sir Isaac Newton, 1642-1727, one of the greatest scientists of all time, was obsessed with finding out more about gravity. When he was studying at Cambridge University, he was puzzled about the mysterious force that keeps the moon circling the Earth. Why, he wondered, doesn't the moon fly off into space? There is a story that the answer came to Newton one day when he was relaxing under an apple tree. Suddenly an apple fell on his head.

Why did the apple drop? mused Newton. Why didn't it float in the air? After a great deal of thought and discussion with other scientists, Newton realised that the apple dropped to the ground because the Earth attracted it. He called this attraction *gravity*.

The Earth's gravitational pull on an object is called its weight. The effect of gravitational force is smaller on lighter objects and bigger on heavier objects.

Gravity on the moon is about one sixth of that of the Earth. During the moon walks, moon explorers needed weighted boots as they walked on the dusty surface, because moon weight is only one sixth of Earth weight!



The first man to walk on the moon


Finding the centre of gravity of awkward shapes

Some shapes are too awkward to find the centre of gravity by using your hands. Another method has to be used. Put an old tennis ball in the mouth of a small empty tin. Cut out some peculiar and unusual shapes from cardboard and balance them in turn on the tennis ball. Which objects have the centre of gravity in the middle? Can you guess where the centre of gravity is on any of the shapes?

Tricks with gravity

The centre of gravity is not always where you think it is, and sometimes you may be fooled by what you see. The centre of gravity of every object will always be as low as possible, which means that some objects fall over if they are not secured to the ground. Try this experiment and this will become more clear.


You need a round cardboard cheesebox that can roll like a wheel. Fasten a small marble to the inside rim with a piece of 'Sellotape'. Before you close the box, make a small mark with a pen on the outside so that you know where the marble is. Make a gentle slope by leaning one long thin book on another, and hold the box near the top of the slope. Make sure that the marble weight is on the



downhill side of the cheesebox. When you let the box go, it rolls down the hill as you would expect. Now set the box at the bottom of the slope with the hidden weight on the uphill side. This time the box will gently and slowly roll up the sloping book. In both the experiments the centre of gravity went down as the box rolled, but in the second experiment the whole box had to roll towards the top of the slope so that the weight could go down.

Here are some other experiments. Cut a slice off a large raw potato, about 3cm thick, and push a pencil through it until the point comes out about 3cm the other side. Carefully stick a dinner fork in the vegetable somewhere near the bottom. Now hold the pencil on the edge of a table and gently move the parts of your construction until a balance is achieved. When the pencil is balanced, give it a little tap and watch it swing round on the table edge.

Stick a 6cm nail into the top of a cork. Get two table forks and stick them in one each side of the cork. Now rest the nail on the rim of a plastic beaker and slowly slide the nail across the rim until it balances. The centre of gravity of the forks and cork is exactly where the nail rests on the beaker rim.




More about levers

The lever is a very common machine. Scientists say that there are three kinds of levers in daily use. They are called the First Class Lever, the Second Class Lever and the Third Class Lever. Look at these illustrations of the three classes of levers:

First class lever

This is the most common type of lever. The fulcrum is located between the effort and the load.




Second class lever

In the second class lever, the load is between the effort and the fulcrum.




Third class lever

This type of lever is arranged so that the effort is applied between the load and the fulcrum.




Look at these pictures of levers. Can you draw lever diagrams in your notebook and see which class they belong to?



Here is something for you to think about. When you push a door in your home it is easy when your fingers are a long way from the hinge fixed to the wall. Why does it get more difficult to push the door when you put your fingers close to the hinge? The force you apply is more effective when it acts a long way from the hinge, just as the weighted matchbox was easier to lift when the fulcrum was placed closer to it. The door is a lever. Which class does it belong to?

Archimedes once said, 'Give me a fulcrum on which to rest and I will move the Earth.'

What point was he trying to make?



The inclined plane


Some gardens have lawns and vegetable patches separated by steps. Gardeners move rubbish with wheelbarrows from one level to the other, and lay wood planks over the steps and push or pull the wheelbarrow over them. It is far easier to drag or push the load up a smooth slope.

An inclined plane is a smooth slope. The inclined plane was probably used by the Egyptians to build the Pyramids, the towering structures that still stand today. One, the great Pyramid of Cheops, was built in 2600 BC to a height of 146m. This huge imposing structure contains enough stone slabs to make a wall right round the Earth one brick thick and about three bricks high! This staggering number of slabs was moved into position by slave labour using brute strength, the lever and the inclined plane.

Moving slabs from quarries was another problem for the Egyptians. Rock was difficult to drag over rough ground. This was overcome by resting the huge weights on rollers made from tree trunks. These acted as small wheels, and the slabs were pulled to the building areas. You can copy this idea by resting a number of heavy books on top of a few round pencils to act as rollers. Push the books and you will notice how easily they move across the floor.

Builders today call inclined planes *ramps*. Plank ramps are a common sight on building sites, linking one set of scaffolding to another. Bricklayers fill wheelbarrows with bricks or cement and push the loads up ramps to the places where they are needed.

The pathway down the Grand Canyon is a zigzag pattern, and many roads cut into mountain sides in alpine countries make use of the inclined plane principle. It is easier to travel longer on a shallow slope than to go straight to the top.



The wedge

Primitive man's first weapons were wooden spears. The tips were pointed and hardened by fire. Later, weapons and tools were made from hard stone like flint and coarse chert, so crude that archaeologists only identify them because they are found with discarded meat bones.


Eventually early man made the first hand axe by chipping a nodule of flint on two sides to form a sharp cutting edge. Hand axes were grasped in the hand and used for grubbing up roots, cutting game that had been hunted and killed, and splitting and shaping wood. For an immense period of time, the hand axes invented by Stone Age man remained the most advanced tools and weapons available.



The wedge-shaped hand axe is a machine that exerts a considerable force. When fixed to a wooden handle, a blow from an axe could split tree trunks, kill prey, and even shatter stones and rocks. The shape is effective

because the force exerted by the edge pushes out in two directions as it enters the object being struck, forcing it apart. Look at an axe blade and see how the blade widens as it reaches the point of attachment. The wedge blade is two inclined planes back to back. One of the most important wedge machines is of course the plough.

The Chinese used the wedge as a press to extract oil from soya beans. The beans were put in a press and huge wooden wedges were driven in by men wielding massive wooden hammers. Pressure from the wedges squeezed and crushed the seeds, releasing oil into a collecting vessel. This process for extracting valuable soya bean oil is still being used in parts of rural China.




Nature's wedge: rain water seeps into rock cracks. During cold weather the water freezes, expands, and forces the rock apart.

The pulley

The pulley, another simple machine, was developed in Assyria about 800 BC. The pulley shifts heavy loads from low ground to higher levels, and its discovery was of great importance to early builders.

The pulley is a wheel that turns easily on an axle, which is a rod-shaped structure. The wheel has a groove in the rim in which string, rope or wire is fitted. The string hangs down and one end is attached to the load to be lifted, and the other end is pulled by hand. When heavy loads are fixed to a pulley on a building site, they are lifted off the ground by someone pulling downwards on a rope. We find it better to pull downwards than to lift a weight off the ground, and pulleys are invaluable because they change the direction of an effort.



Cranes

You can see giant cranes in large factories, steelyards, building sites and shipyards. Cranes use pulleys and levers to lift enormous loads. Most cranes have a moving arm or *jib* which works like a giant lever. At the end of the jib is a pulley wheel. The biggest cranes have three or four pulleys working together. The more pulleys, the bigger the load a crane can lift. A winch provides the power to pull wire cable over the pulley wheels.




Lifts

Many modern buildings, especially tower blocks, department stores and hotels, are very tall. Climbing hundreds of steps after a wearisome day is very tiring, but, fortunately, the levels are linked by lifts. Pulleys play an important part in lifts. Pulleys operated by electric motors raise the passenger car quickly and smoothly from the bottom floor to the top of multi-storey buildings. The electric motor works in both directions, so the lift can work going up or coming down.

The rack


Perhaps the most fiendish and cruel use of the pulley was the rack, a torture device that stretched the limbs of unfortunate suspects. Ropes tied to the arms and legs of some poor wretch were pulled by levers and pulleys until the sufferer's joints were dislocated. Men and women sent to the Tower of London during Tudor times were tortured like this.



Experimenting with pulleys

Let's make a simple pulley. To do this you will need some thin galvanised wire, a cotton reel, some string and a screw hook. First bend about 20cm of wire into a triangular shape with a gap between the two ends. Push the ends of the wire into the open ends of the cotton reel. Screw a hook into the top of a garage doorway (be sure to check with your parents first – they will not be too pleased if you do this without their knowing) and fix the reel to the hook. Tie one end of a length of string to a bucket, loop the string over the cotton reel and pull. As you pull, the bucket will lift off the ground.

When you use the pulley your effort on the string is equal to the weight of the bucket. The advantage in using the pulley is that the direction of the effort is changed so that we pull down to lift the load up.



There is a saying that many hands make light work. This is certainly true about pulleys. Two pulleys are better than one and make the job of lifting heavy loads a lot easier. To lift a heavy load with one pulley, it takes quite an effort from your muscles. If you use two pulleys, then the load can be lifted by half the effort. Let's make a double pulley and check this. You need four cotton reels and two pieces of wire, each about 20cm long. Bend the wire into triangular shapes and fix them to the cotton reels. Thread the string round the wheels and hang a load on the lower pulley. You will need plenty of string because for every 30cm the load is lifted, you have to pull 60cm of string through the pulley. Notice how it is easier to lift the load off the floor.

You can use any number of pulleys, and the more you use the easier the work.

The wheel and axle


About 6000 years ago, an unknown citizen of Mesopotamia made one of the greatest inventions of all time: the wheel. Working on the idea of the wooden rollers, the first wheel was probably no more than a solid slice of tree trunk with a hole in the middle to allow it to revolve round a fixed wooden axle. Nearly all primitive groups invented the wheel, except the American Indian. This may have been because there were no horses on the American continent until the Spaniards brought them in the sixteenth century. The Indians pulled loads on two branches tied in a V shape (called a *travois*).

Around 3000 BC, primitive potters used the wheel for turning and making pots and utensils from clay. The potters used their feet to turn a massive wooden wheel that lay in a horizontal position, which left their hands free to shape wet clay turning on a smaller wheel.



The wheel and axle machine has two wheels, one large and the other small, on the same rod or axle. A small effort on the big wheel turns the smaller one. The work is done by the small wheel, like crushing corn or spinning a lump of clay. The *windlass* is a machine that combines the wheel and axle with a pulley. The windlass is a traditional device for drawing water from wells. A similar machine, the *capstan*, is a familiar sight on ships and in dockyards, pulling in heavy loads, like anchors or dock gates. Early capstans were made from wood and turned by men using wooden bars. Sailors pushed the bars fixed into a horizontal wheel, winding rope round a small wheel and pulling in the iron anchors. Windmills and water-wheels are other wheel and axle machines.


Sometimes the wheel and axle machine principle is difficult to recognise. Can you find it in a screwdriver? A door key? The wheel and axle are like a rotating lever. Does this help you find the fulcrum, effort and load in each case?



The screw


Screws come in lots of sizes. They are used for all kinds of jobs around the home because they give a strong and secure way of fixing materials together, especially wood and metal. Brackets for shelves are screwed into plaster and brick, giving a strong foundation. The shelves can then support quite heavy loads such as books. The screw's strength is in its unique shape. Fetch one long screw from your workbox and look at the spiral. You will notice that the screw is an inclined plane wrapped round a cone of metal.

One of the first screw machines was invented by Archimedes in the third century BC. Archimedes, perhaps the greatest mathematician of his time, designed a machine to lift fresh water from the hold of a ship belonging to King Hiero II of Syracuse. Archimedes' machine had a watertight cylinder enclosing a spiral running from end to end (something like the inside of a mincer), with its lower end immersed in the water. As the machine was turned by hand, the water collected in the rotating spiral blades and was lifted out of the ship's hold.



woodwork bench vice

Other familiar screw machines are woodwork bench vices, and car jacks. When the jack is placed correctly under the body of a car (under the axle and not elsewhere), the screw is turned and the car is gently raised from the floor. Some car jacks use a lever to do this.




a typical car jack

How machines work


Need drove man to invent very basic but very effective machines that helped him to cope with his environment. Ideas soon spread, and machines were used by other groups who changed and improved them. New uses for the wheel were invented; better ways of using the lever were thought of; other methods of using the screw were designed. And yet, one thing remained a problem – all machines needed man's energy and muscle power.

Machines could transfer man's muscular effort from one place to another, as in the lever lifting heavy stones. Pulleys changed the direction of his effort, so he pulled downwards to lift a load upwards. Other machines made tasks quicker to perform.



Look around your home and collect together different hand tools. They would make primitive man marvel. Our hand tools are very efficient. For example, bang a nail into a block of wood with a hammer. Now try to pull it out with your fingers! Impossible, isn't it? Use a claw hammer to remove the nail and notice how easy it is to pull it out. Can you find out how all the tools work? Can you see where the effort and load is for each tool?

One of the more complicated machines that rely on muscle power is a bicycle. When you ride a bicycle your



leg muscles push hard on the pedals. By means of gears, a chain, two wheels and an axle, the downward thrust of your legs turns the back wheel which gives the front wheel a forward thrust. This propels the bicycle forward. The force you apply with your legs is the effort. The force the machine is working against is the load. The load is a combination of the air hitting your body, gravity, and the friction of the moving parts rubbing against each other – not least the tyres on the road surface. Riding a bicycle is tiring, but pedalling from one town to another is far easier than walking. The bicycle is a well designed machine that reduces the effort to the minimum.




Gear wheels

The wheel and axle machine gave man ideas for new kinds of machines. But there were problems, and changes in design were necessary. The invention of gear or cog wheels was a great advance and many of the problems were overcome because they helped to produce powerful forces in large rotating wheel machines. Gear wheels opened the door to big machines, such as windmills, water wheels and capstans.


Gear wheels are fixed in machines to make different parts move at different speeds or in different directions. They have toothed edges. When two gear wheels are fitted together, one wheel turns one way, the other turns the other way. If one wheel has half the number of teeth of the other, it turns twice to every one rotation of the bigger wheel.

Clocks have different sized gear wheels arranged so that they move the clock hands at different speeds. The minute hand goes round once an hour and the small hand goes right round the clock face in twelve hours.



Most bicycles have gears to help to make pedalling as relaxing as possible. For climbing hills, the rider selects low gear which makes pedalling easier. Going down hills, the cyclist changes into a higher gear which provides a high speed in return for slower pedalling.

If you have a bicycle, turn it upside down so that it rests on the saddle and handlebars. See if you can find the gear wheel attached to the pedals. This drives a small gear wheel on the back wheel by means of the chain. Turn the pedals with your hands and watch the back wheel move. Change gear and you can feel the difference in the effort required to keep the wheel moving at speed.



Friction

Friction is the curse of all machines. As you pedal your bike along a country lane you are working against friction. It is a force that acts like a brake on the movement of most moving objects. If you rub your finger down a pane of glass, you slide without much effort to the window sill. But if you slide your hand across a sheet of sandpaper you can feel the unevenness of the sandpaper surface. The resistance slows up the movement. This resistance (which forces you to use greater effort to get your fingers across the surface) soon produces heat. Rub your hands together for a minute and the palms quickly get warm from the friction of the skin. The effect of the heat is more obvious with larger and faster moving objects. Friction between tyres and the road surface acts against a car's movement, slowing it down, and warming up the tyres. The next time you go for a drive, feel the hot tyres at the end of the journey. More heat is produced when the road surface is rough or if the tyres are underinflated.

Space scientists know that space ships must be built to withstand intense heat that is generated when the vehicles enter the Earth's atmosphere. Friction between the craft and air molecules is reduced by streamlining the ship's shape so that air moves easily over the ship's skin. How do you streamline your body when you are cycling?

To overcome friction, moving machine parts are lubricated with oil and grease so that danger of damage is reduced; surfaces are smoothed by sanding and polishing them; we use rollers, ball bearings or





wheels; and we make things streamlined, which means that we change the shape to reduce resistance.



In spite of all this, we could not manage without friction. We would not be able to run or walk, since our feet would slip on the ground. Nails would not grip wood, matches would not light when rubbed against matchboxes, and cars, trains and aircraft would not be able to stop.

Friction increases grip on our shoes. Would it be possible to walk without it?







Ball bearings


When man used tree trunk rollers to carry building stone for great distances over rough country he partly overcame the problem of friction. The slabs of rock were moved by rolling and not sliding, and the friction was reduced.

The roller is a machine. In recent times it has changed from tree trunks to perfectly smooth balls of hard steel called ball bearings. Ball bearings are used in many of the moving parts of small and large machines to cut down the friction as much as possible. Ball bearings are a standard part of wheel and axle machines, like the bicycle. Check your bicycle and see if you can discover where the ball



bearings are used. Look at the wheel axles, the pedal crank, in the pedals and on the steering column. These are the moving parts of the bicycle, where friction could damage the metal parts that rub together. Ball bearings in bicycles are kept in a *ball race*.

You can see how much ball bearings cut down friction by repeating an earlier experiment with the heavy books resting on the pencils (page 21). Remove the pencils and replace them with a few glass marbles, and you will find that you can move the books with a gentle push. The marbles are far more useful than pencil rollers for moving loads.




*a modern adaptation of the
'roller bearing' principle*

The pendulum

In 1583 a young man of nineteen made a discovery that was to alter the design of clocks up to the present day. The person was Galileo. He noticed that a long lamp hanging in a cathedral in Pisa, Italy, swung to and fro at the end of a long chain as it was caught in a draught. He timed the swings of the chain with his pulse beat (by holding his wrist with his fingers). The length of the time taken by a swing remained the same even though sometimes the lamp swung in a larger arc than it did at other times.

The hanging lamp was a *pendulum*, that is, a heavy weight suspended from a long cord. Galileo later found that if the pendulum cord is shortened, the swing is faster.

Some large clocks are driven by pendulums. If you have a wall clock, look inside the case at the pendulum. You will notice that the upper end of the rod holding the weight is attached to thin, flexible spring steel. That is there to ensure that the pendulum swings freely at the end of the rigid rod. Gravity makes the pendulum swing back and forth. But for friction, a pendulum once started in its swing would move for ever. Clocks give the pendulum a tiny push regularly to counteract the loss of energy due to friction. Can you think what the pendulum is rubbing against as it moves?




You can make a pendulum. Fix a heavy weight to a length of string and attach the other end as high as possible above the ground so that the weight can swing freely. Start the pendulum and count the number of swings it makes in a minute. Now halve the length of string and time it again. What do you notice? Now tie two pendulums of the same length, and equal weights fixed to the bottom, to a slack string suspended between the uprights in an open doorway. Start one of the weights and watch what happens. The effect is very strange. What happens if you tie three pendulums to the string?

Can you think of a way of using sand or salt in an inverted detergent bottle to trace the path of a pendulum swing?


Machines to work machines

Man's first machines relied on his muscle power. For thousands of years all the lifting and carrying, hewing and hammering, making and repairing, was done by man alone. Then an idea came to him: why not use animals to work his simple machines? They could carry, pull and lift his heavy loads.

The idea was a great success. Horses and oxen ploughed land; donkeys pulled in fishing boats and carried the catch to the villages; dogs dragged sleighs; and ponies worked underground shifting loads of coal.



As time went by, another idea was developed. Running water could turn machines. Man designed a huge wooden wheel with blade-like containers, placed it in running water, and as the water turned the wheel, a simple arrangement of gear wheels turned a grindstone. You can make a water-wheel. You need a large cotton reel and five pieces of rectangular tin sheet. Cut five slits in the reel at




equal distances from each other, and fix the tin sheets to the reel. Pass a long iron nail through the hole in the reel so that it acts as an axle. Place the reel under a running tap and watch the water-wheel move.

After the invention of the water-wheel, man used air to turn his machines when he made the first windmill. Can you design a model windmill? Can you think of other machines driven by air or water?

The power of wind and water turned mill sails and mill-wheels for hundreds of years. But by the seventeenth century the need for new sources of power became urgent. Exciting inventions were soon to be created that would replace the horse and donkey, and wind and water, as power packs, opening up new possibilities for men to reduce their daily drudgery.



The steam engine: Steam comes in one side of the piston and then moves to the other, pushing it in both directions



Steam forces the piston to and fro which moves the crank attached to the flywheel

The steam engine

When steam was first used as a power pack to drive machines, it heralded the start of a boom-time for industry. The steam engine was a remarkable invention that brought incredible changes throughout England and other parts of the world. At last, there was a way of providing enormous energy and power for man's machines. Perhaps the most well known steam engine was the brainchild of James Watt about 250 years ago, when he designed a steam engine based on the work of other engineers. He is mistakenly called the Father of Steam. In

fact, the first record of steam machines is that of Hero of Alexandria in 130BC! Steam engines became commercially successful in 1698 when Thomas Savery built them to remove water from coal mines. As miners went deeper and deeper in search of rich coal seams, they ran into the problem of flooding. Savery's engines sucked out the water from the tunnels, making the underground work safer. In 1703, Thomas Newcomen designed an engine that could empty water from the deepest coal shafts. James Watt was an instrument maker in Glasgow. Whilst repairing a steam engine made by Newcomen he noticed that the machine was wasting power. After a great deal of work he perfected an efficient working steam engine that had more practical uses than Newcomen's design. He also invented a means by which the steam engine could be made to turn wheels.

The steam engine is a machine that changes heat into mechanical energy that powers other machines. Water is boiled in thick metal containers to produce large quantities of steam. The steam pushes pistons up and down which turn a crank attached to a flywheel. This moves the necessary engine parts, operating the machine.

Steam power changed the world. Industry developed quickly, especially in areas close to natural reserves of fossil fuel (like coal). The clatter of thousands of steam driven machines produced new and cheaper goods. Steam engines pulled trains and drove ships carrying goods and people all over the world. This era was called the Industrial Revolution. Steam power and machines helped England to lead the world in industrial technology.


Steam is back in fashion again but only as a curiosity. Renovated steam engines are operated at special times for the public to enjoy. Private enthusiasts have brought life back to abandoned village railway stations, and often run special steam trains so that the 'Age of Steam' will not be forgotten.

The internal combustion engine

The success of Watt's steam engine had brought England into the industrial or machine age. Machines could now mass-produce many of the requirements of people, and all be powered by steam. At this stage man's inventive mind could have relaxed, but more ideas were generated to produce new power packs to drive yet more machines.


The steam engine burns coal or oil to heat water to produce steam. The steam moves into a metal cylinder to drive the piston. The fuel burning is done outside the cylinder. Another invention, the *internal combustion engine*, burns its fuel inside the cylinder. This design difference was important. In this new engine, petrol and air are mixed and squirted inside the cylinder where the mixture is exploded by a spark which drives the all important piston. This machine had a great advantage

The internal combustion engine




over the steam engine: its size. Its engine is light, but has enough power to drive a motor car, a motor cycle, a bus or a truck. At first, cars were too expensive to produce for the average man to afford, but public service buses opened up new travel possibilities. Families could move around the country for a relatively small charge. Before long, though, industry was able to produce cars quickly and cheaply and the day of the motor car was with us.

The internal combustion engine was not restricted to land travel. It was made small enough to provide power to make aircraft fly, opening up new lands that could be reached in a short space of time.



Planes were powered by radial petrol engines




A jet of gas turning a metal wheel, in a model turbine engine

Turbine engines

It wasn't long before someone realised that steam had other uses. Engineers discovered that a large wheel with blades on it could be turned by a strong jet of steam. This discovery led to the invention of the steam turbine. A steam turbine has hundreds of blades set on a long shaft or axle completely encased in a strong metal case. The turbine engine provides a very smooth and powerful source of energy, ideal for ships and generators that produce electricity in power stations. Another machine, the gas turbine, works the same way as the steam turbine. The blades are turned by jets of hot gases that are made by burning special fuels. Another kind of turbine is driven by water.

Electric motors

An electric motor is another form of power pack that can drive a machine. Sometimes the electricity comes from the generators in power stations that produce electricity. This is the source that we use when we plug in a television or radio to a power point normally fixed to the wall. The current flows into the television set giving it the energy to function. Cars carry their own small generators called *dynamos* or *alternators*, which produce all the electricity cars need. Electricity can also come from a battery which stores a limited amount of electricity, just enough to drive a small electric motor, or provide power for a portable radio.



High pressure gas produces 'thrust' in a jet engine

Jet engines

Today we are in the jet age. The internal combustion engine has given way to the jet engine in many of our planes. Put very simply, the jet engine burns a mixture of paraffin and air to form a very hot gas at high pressure. This pressure thrusts the engine forwards while the exhaust gas rushes out of the back in a jet stream. If you blow up a balloon and let it go without tying the neck, the balloon is driven forward in much the same way.

Nuclear energy

Now man has a choice of power sources to drive his machines. The most advanced source of energy is provided by nuclear reactors. There are many designs of nuclear plants but they all generate heat from nuclear reactions and use this heat to produce steam which drives turbines to produce electricity. The fuel used in these advanced power stations is uranium, a metal which contains a small proportion of atoms that 'split' spontaneously, releasing enormous forces that are controlled to produce heat. This is called a *chain reaction*, because the rapid process, once started, goes on and on, each reaction triggering the next one. If a chain reaction were to take place too quickly, the energy given off would be so great that a huge explosion would take place. The atomic bomb works on this principle.

The drawbacks

We have seen some of the ways in which machines affect our lives. By increasing production in factories they make more and more goods like bicycles, radios, cars, planes, house cleaning aids – everything we need to make our lives easier. Machines used in farming and for processing foods help us to feed more people. Cars, buses, trains, ships and aircraft take us around the world, and transport goods to other lands. Complex machines like computers calculate answers to our problems. Our life is geared to machines. Our lives would alter drastically if we suddenly had to live without them.

And yet, because machines need fuel to operate, they have created great problems of pollution that threaten our very survival. Machines fill the sky with smoke and smog, and dirty the rivers and streams. Noise from huge jumbo jets makes our lives a misery if we live near airports. Many people are very worried about the danger of pollution. The development of nuclear power has proved unpopular, too. Public protests have actually stopped some nuclear projects from going ahead. Yet nuclear energy is likely to be developed more now that fossil fuels, like oil and coal,



An artist's impression of the latest aerogenerator

are disappearing at an alarming rate, feeding the millions of machines man has invented.

Even nuclear energy supplies are limited. Scientists believe that the energy derived from uranium will not last for ever. What will the future source of fuel be to feed our machines?

What next?

Man's first machines were concerned mainly with survival. Since the chance invention of the lever man has made enormous strides. Yet, even though our present day machinery looks incredibly complicated, somewhere amongst all the working parts you will find the basic parts, the wheel and the lever.

Civilisation owes a great deal to the first man who used a stick to lever rocks from the front of a cave.

What kind of machines will be invented tomorrow to take the drudgery from life?

Do we want machines to do *everything* for us?

Two working windmills



INDEX

	page		page		page
aircraft	47, 49, 50	electric motors	48	heat	36
air resistance	33, 37, 40	electrical goods	6	Hero of Alexandria	45
animal power	42, 43	electricity	6, 48, 49	hinges	19
Archimedes	19, 30	energy	32, 44		
atoms	49		45, 48, 49	inclined planes	7, 20
axes	22, 23	engineers	6, 44, 45		21, 23, 30
axles	7, 24, 28	engines		Industrial Revolution	
	29, 33, 38, 39	internal combustion			45
			46, 47	internal combustion	
balances	10, 11, 12, 13	jet	49	engine	46, 47
balancing point	14	steam	44, 45, 46	inventions, dates of	
ball bearings	37, 38, 39	turbine	48	front endpaper	
ball races	39			irrigation	9
batteries	48	factories	50		
bicycles	32, 33, 35, 36	farming	5, 50	jacks <i>see</i> car jacks	
	37, 38, 39, 50	first class levers		jet engines	49
bottle openers	6	<i>see</i> levers		jibs	24
braking	36, 37	fishing	5, 18	labour saving	6, 7
buses	47	fishing rod	18		20, 51
		flint tools and weapons	22	levers	7, 8, 9, 10, 11
capstans	29			18, 19, 20, 24, 25, 51	
car jacks	31	food mixers	6	lifts	25
cars <i>see</i> motor cars		food processors	6, 50	loads	8, 10, 11, 18
centre of gravity		force	19, 23, 33		24, 26, 27, 28
	14, 16, 17	friction	33, 36		29, 30, 32, 33
chain reaction	49		37, 38, 39, 40	lubrication	37
chains	33, 35	fuels		machines	5, 6, 32, 33
claw hammers	32	coal	45, 50		36, 38, 42, 43, 44, 45
cleaning machines	6, 50	fossil	45, 50		46, 48, 49, 50, 51
clocks	34, 40	oil	50	mass	11, 12, 13
coal	45, 50	paraffin	49	mass production	46
cog wheels	34	uranium	49, 51	mincers	6
counter-balance	9	fulcrum	10, 11	mining	5, 45
cranes	24, 25		13, 18, 19, 29	Moon	14, 15
cranks	39	Galileo	40	motor cars	31, 47, 50
crow bars	19	games	6	motor cycles	47
		gas	48, 49	Newcomen, Thomas	45
digging	5, 19	gears	33, 34, 35, 42	Newton, Sir Isaac	14, 15
direction of effort		generators	48	noise	50
	24, 26, 32	gravity	14, 15, 16	nuclear energy	49
door keys	29		33, 40		50, 51
doors	6, 19	grease	37	oil	37, 50
dynamos	48	grip	37	oil press	23
effort	8, 10, 11, 18, 24	hammers	32	ovens	6
	26, 29, 33, 35				

	page		page		page
pedals	33, 35, 39	screwdrivers	29	travois	28
pendulums	40, 41	screw pumps	30	trucks	47
pistons	45, 46	screws	7, 30, 31, 32	turbine engines	48, 49
pivots	8, 12	second class lever		tweezers	19
pliers	19	<i>see</i> levers		tyres	33, 36
polishers	6	see saws	10, 11	uranium	49, 51
pollution	50	sensitive balances	12, 13		
population	4	shadoofs	9	vacuum cleaners	6
pottery wheels	28	ships	48, 50	vegetable slicers	6
power and		slopes		vices	31
power packs	42, 43	<i>see</i> inclined planes		video cassette	
	44, 46, 47, 48, 49	space ships	36, 37	recorders	6
pulleys	7, 24, 25, 26	spades	19		
	27, 29, 32	spears	22	washing machines	6
pumps	30, 45	spirals	50	water mills	29
Pyramids	20, 21	steam engines	44, 45, 46	water wheels	42
rack	25	steam turbines	48	Watt, James	44, 45, 46
radios	6, 48, 50	Stone Age	7, 22	weapons	22
railways	45, 50	straw balances	13	wedges	7, 22, 23
ramps	21	streamlining	37	wright	8, 11, 15, 26
reactors	49			wheelbarrows	18, 20, 21
record players	6	television	6, 48	wheels	7, 21, 24, 28, 29
resistance	36, 37	third class lever			32, 33, 34, 35, 42, 51
rollers	21, 37, 38, 39	<i>see</i> levers		winchies	24
Savery, Thomas	45	tools	22, 32	windlass	29
scales <i>see</i> balances		transport	5, 45, 47, 50	windmills	29, 43

Acknowledgments

The author and publishers acknowledge the use of additional illustrative material as follows: British Aerospace, page 27; Tim Clark, pages 9, 22, 25, 33, 36, and 40; M E Daly, page 10; John Paull, page 21; Christopher Reed, page 23; Royal Netherlands Embassy, page 51; Space Frontiers Ltd, page 15; H Stanton, page 43; Taylor Woodrow Construction Co Ltd, page 50.